





















Superior Quality ■ Attractive Design ■ Reasonable Pricing

Aspen Series

			
Shine 9642 Biscuit	Timber 7411 Rose Tan	Matchsticks 9636 Leaf	Comet
			
Starburst 7908 Whitecap	Starburst 7910 Mica	Trail 7416 Heatherglen	Trail 7419 Mysteria
			
Milkyway 7903 Eggshell	Milkyway 7906 Sea Spray	Comet 7916 Overcast	Comet 7917 Taupe
			
Dream 9628 Mint	Dream 9625 Pumice	Traction 7753 Platinum	Traction 7759 Chrome
			
Terra 9500 Silver Papier	Terra 9510 Wheat	Terra 9505 Blue Papier	Terra 9532 Grey Mix

Additional fabric colors are available in each series. Contact customer service for additional options.

Aspen Series

Comet	Dream	Glade	Traction	Matchsticks	Milkyway	Shine	Starburst	Terra	Timber	Trail
-------	-------	-------	----------	-------------	----------	-------	-----------	-------	--------	-------

Fabric Specifications

Content	100% Polyester	100% Polyester	100% Polyester	100% Polyester	100% Polyester	56% Olefin, 44% Polyester	100% Polyester	100% Recycled Polyester	100% Polyester	100% Polyester
Weight	6.24 oz/lin yd	11.4 oz/lin yd	10.33 oz/lin yd	11.4 oz/lin yd	6.08 oz/lin yd	10.2 oz/lin yd	6.4 oz/lin yd	16 oz/lin yd	11.84 oz/lin yd	11.84 oz/lin yd
Ends/Picks	139/46 per in	138/45 per in	128.4/16.4 per in	130/47 per inch	139/46 per in	80/19 per inch	139/46 per in	17/16 per inch	138/49 per	138/50 per inch
Cleaning Code	W-5	W-5	W-5	W-5	W-5	W	W-5	W-5	W-5	W-5
Width	66"	66"	66"	66"	66"	66"	66"	66"	66"	66"
Origin	China	Canada	Canada	Canada	China	USA	China	Canada	China	China

Performance Characteristics

Tensile Strength ASTM D5034 / D1682	Warp: 217.0 lbs Fill: 157.0 lbs	Warp: 188.4 lbs Fill: 162.2 lbs	Warp: 261.0 lbs Fill: 281.0 lbs	Warp: 177.0 lbs Fill: 159.0 lbs	Warp: 163.0 lbs Fill: 233.0 lbs	Warp: 50.0 lbs Fill: 50.0 lbs	Warp: 137.0 lbs Fill: 190.0 lbs	Warp: 150.0 lbs Fill: 150.0 lbs	Warp: 260.0 lbs Fill: 261.0 lbs	Warp: 252.0 lbs Fill: 271.0 lbs
Tear Strength ASTM D2261/2	Not Tested	Warp: 22.1 lbs Fill: 25.4 lbs	Warp: 39.24 lbs Fill: 33.08 lbs	Warp: 31.9 lbs Fill: 29.9 lbs	Not Tested	Warp: 50.0 lbs Fill: 50.0 lbs	Not Tested	Warp: 30.0 lbs Fill: 30.0 lbs	Not Tested	Not Tested
Colorfastness to Light AATCC 16A	40 hrs. Class 4	40 hrs. Class 5	40 hrs. Class 5	40 hrs. Class 5	40 hrs. Class 4.5	40 hrs. Class 4	40 hrs. Class 4	40 hrs. Class 4	40 hrs. Class 4	40 hrs. Class 4
Colorfastness to Crocking AATCC 8	5.0 Dry, 5.0 Wet	5.0 Dry, 5.0 Wet	5.0 Dry, 5.0 Wet	5.0 Dry, 5.0 Wet	5.0 Dry, 5.0 Wet	5.0 Dry, 5.0 Wet	5.0 Dry, 5.0 Wet	4.0 Dry, 3.0 Wet	4.5 Dry, 4.5 Wet	5.0 Dry, 5.0 Wet

Flammability

ASTM E-84 (Tunnel Test)	Class A or 1	Class A or 1	Class A or 1	Class A or 1	Class A or 1	Class A or 1	Class A or 1	Class A or 1	Class A or 1	Class A or 1
California Tech Bulletin 117 Section E (CS-191-53)	Passes	Passes	Passes	Passes	Passes	Passes	Passes	Not Tested	Passes	Passes

Recommended Cleaning Care

W	Water-based cleaning agents and foam may be used for cleaning. Cleaning by a professional cleaning service is recommended.
W-5	Water-based cleaning agents and foam may be used for cleaning. This fabric may also be cleaned with mild, water-free solvents. Cleaning by a professional cleaning service is recommended.

Variations in color and texture are inherent to these textiles. Application testing of this product is recommended.

Comet, Dream, Glade, Traction, Matchsticks, Milkyway, Shine, Starburst, Timber and Trail are directional fabrics. Directional fabrics will be applied for optimal utilization.

U.L. Recognized Component: Comet, Dream, Glade, Inspire, Matchsticks, Milkyway, Starburst, Terra, Timber and Trail can be applied without need for further testing to any office panel system which has been authorized for use with fabrics included in U.L.'s fabric Recognition Program.

OEM Original: Terra is the vertical surface fabric utilized on systems produced by leading original equipment manufacturers.

Terra: TERRATEX® is a registered trademark of Interface fabrics group and designates fabrics that are made from 100% recycled or compostable material using increasingly sustainable manufacturing practices to produce a high quality product that is recyclable at the end of its useful life.